OFFICE OF THE STATION OFFICER, FIRE & RESCUE STATION, PERINTHALMANNA

No : C.143/2021 Dated: 23/03/2021

NO OBJECTION CERTIFICATE (RENEWAL)

- The Board headed by the Station Officer, Fire & Rescue Station, Perinthalmanna had inspected 1. the 12.15 meters height (G+2) and total plinth area 3129.49 Mtr sqr, Educational building in Survey No 21/4 in Puzhakkattiri Village, Puzhakkattiri Panchayath in Malappuram District under Perinthalmanna Municipality owned by Sri.Parakkottil Narayanan, Managing Trustee, SPARC educational trust, Puzhakkattiri (PES educational building), Malappuram (Dt) recommended to renew No Objection Certificate No F-4798/2019 dated 31.08.2019 of the Regional Fire Officer, Fire & Rescue Services, Palakkad for the occupation of the said building for one year.
- In the circumstances, this No Objection Certificate is issued under my seal and authority for the 2. continued occupation of the above building. No further construction will be allowed in the vacant spaces provided in the approved plan.
- This certificate is issued on the condition that the fire fighting systems installed will be kept always 3. functional and the owner of the building should take special care to maintain the systems installed in proper working condition. This certificate is valid for one year from the date of issue. After one year the certificate must be renewed. Non renewal of the certificate within the time limit will result in loss of eligibility for insurance coverage and appropriate legal action by the local self Government/Revenue Department. All officers of and above the rank of Station Officer of the Fire & Rescue Services Department will have the right to inspect the building on any day/time after serving 7 days notice to ensure that the installed systems are in good working condition.

(Baburajan.C) Station Officer F&RS Perinthalmanna

P. Nancejaman U

To :- The Secretary, Puzhakkattiri Panchayath

The Party

Manager Parakkottil English Medium School Puzhakkattiri P.O. Malappuram Dt., Kerala, Pin: 679 321